ANSI/ISA-S75.20-1991

Approved February 28, 1993

Δ	merican	Nation	al Sta	ndard
	ille icali	Nation	ıaı Jıa	ııuaı u

Face-to-Face Dimensions for Separable Flanged Globe-Style Control Valves (ANSI Classes 150, 300, and 600)



ANSI/ISA-S75.20 — Face-to-Face Dimensions for Separable Flanged Globe-Style Control Valves (ANSI Classes 150, 300, and 600)
ISBN 1-55617-313-X
Copyright © 1991 by the Instrument Society of America. All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), without the prior written permission of the publisher.
ISA 67 Alexander Drive P.O. Box 12277 Research Triangle Park, North Carolina 27709

Preface

This preface is included for informational purposes and is not part of ISA-S75.20.

This standard has been prepared as part of the service of ISA toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static, but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms, and asks that they be addressed to the Secretary, Standards and Practices Board, ISA, 67 Alexander Drive, P. O. Box 12277, Research Triangle Park, NC 27709, Telephone (919) 549-8411, e-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to U.S.A. users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards to the greatest extent possible. *The Metric Practice Guide,* which has been published by the Institute of Electrical and Electronics Engineers as ANSI/IEEE Std. 268-1982, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards that ISA develops.

The information contained in the preface, footnotes, and appendices is included for information only and it is not part of this standard.

The following people served as members of ISA Committee SP75.08, which prepared this standard.

NAME	COMPANY
W. Weidman, Chairman	Gilbert/Commonwealth, Inc.
H. Baumann	H. D. Baumann Assoc., Ltd.
G. Borden, Jr.	Consultant
R. Brodin	Fisher Controls International, Inc.
F. Cain	Valtek, Inc.
R. Chown	OTEC
E. Cooney	Retired
L. Driskell	Consultant
J. Emery	Honeywell, Inc.
A. Hansen	Consultant
B. Hart	M. W. Kellogg Co.
H. Illing	DeZurick Valve Co.
C. I. Koloboff	Chevron Research & Tech. Co.
J. Leist	Dow Chemical Company, USA

ANSI/ISA-S75.20-1991 3

O. Lovett Retired H. Nickerson Consultant R. Quance Consultant J. N. Reed

Masoneilan/Dresser H. Schwartz Flexible Valve Corp. A. Scott Neles-Jamesbury H. Sonderegger Grinnell Corp.

R. F. Tubbs Copes-Vulcan-Charlotte

Retired

The following persons served as members of ISA Committee SP75:

NAME COMPANY

R. Stanley

L. R. Zinck, Chairman Union Carbide Corp.

W. C. Weidman, Managing Director Gilbert/Commonwealth, Inc.

J. B. Arant JBA Consulting Co. T. Abromaitis Red Valve, Inc.

H. E. Backinger J.F. Kraus & Company G. E. Barb

Anchor/Darling Valve Company

R. W. Barnes* Valtek, Inc.

H.D. Baumann Assoc., Ltd. H. D. Baumann

H. W. Boger* Masoneilan/Dresser

G. Borden, Jr. Consultant

Neles-Jamesbury S. J. Boyle*

R. R. Brodin* Fisher Controls International, Inc.

E. H. C. Brown Dravo McKee Valtek. Inc. F. M. Cain* E. J. Cooney Retired L. R. Driskell Consultant J. T. Emerv Honevwell. Inc. Consultant H. J. Fuller L. F. Griffith Consultant

A. J. Hansen Retired

F. P. Harthun* Fisher Controls International, Inc.

M.W. Kellogg Co.

J. S. Herold Retired

H. Illina DeZurik Valve Company Texas Utilities Electric R. L. Jeanes

C. I. Koloboff Chevron Research & Tech. Co. J. D. Leist Dow Chemical Company, USA

R. A. Louviere Creole Engineering Sales Co., Inc.

Consultant O. P. Lovett, Jr. J. W. McCaskill Leslie Controls

B. A. Hart

^{*}One vote per company

A. P. McCauley, Jr. H. L. Miller

H. R. Nickerson L. J. Ormanoski

T. V. Molloy

J. Ozol

R. A. Quance W. Rahmeyer

J. N. Reed* G. Richards T. Rutter H. Schwartz

K. G. Schoonover

A. B. Scott* W. L. Scull

H. R. Sonderegger

R. U. Stanley R. E. Terhune R. F. Tubbs

R. L. Widdows

K. A. Whitman

C. A. Williams

P. Bliss*

M. A. Widmeyer

Chagrin Valley Controls, Inc. Control Components, Inc. Pacific Gas & Electric

Consultant Frick Company

Commonwealth Edison

Consultant

Utah State University Masoneilan/Dresser Richards Industries, Inc. Fluid Controls Institute, Inc.

Flexible Valve Corp.

Con-Tek

Neles-Jamesbury Everlasting Valve Co.

Grinnell Corp.

Retired Consultant

Copes-Vulcan-Charlotte

Cashco, Inc.

This standard was approved for publication by the ISA Standards and Practices Board in February 1991.

NAME COMPANY

J. Rennie	Factory Mutual Research Corp.
H. D. Baumann	H.D. Bauman Assoc., Ltd.
D. N. Bishop	Chevron USA, Inc.
C. R. Gross	Dow Chemical Company, USA
H. S. Hopkins	Utility Products of Arizona
K. R. Lindner	Endress & Hauser GmbH & Co.
G. R. McFarland	ABB Power Automation, Inc.
E. M. Nesvig	ERDCO Engineering Corp.
R. D. Prescott	Moore Products Company
D. E. Rapley	Rapley Engineering Services
R. H. Reimer	Allen-Bradley Company
R. C. Webb	Pacific Gas & Electric Company
W. C. Weidmann	Gilbert/Commonwealth, Inc.
J. R. Whetstone	Nat'l Inst. of Standards & Tech.

ompany Inc. Nat'l Inst. of Standards & Tech. **ABB Combustion Engineering**

The Supply System

Eastman Kodak Company

Consultant

^{*} One vote per company

The Foxboro Company W. Calder*

L. N. Combs* Consultant N. L. Conger* Consultant

Florida State University T. J. Harrison*

R. T. Jones* Retired R. E. Keller* Consultant

A. P. McCauley* Chagrin Valley Controls, Inc.

E. C. Magison* Honeywell, Inc. R. G. Marvin* Consultant W. B. Miller* Retired

J. W. Mock* Bechtel Western Power Corp.

Consultant J. R. Williams* Retired

G. Platt*

^{*}Director Emeritus

Contents

1 Scope	9
2 Purpose	9
3 Definition	9
4 Bibliography	9
5 Dimensional data	10

1 Scope

This standard applies to separable flanged globe-style control valves, sizes 1 inch through 4 inches.

2 Purpose

The purpose of this standard is to aid users in their piping design by providing ANSI Classes 150, 300, and 600 raised face separable flanged control valve dimensions without giving special consideration to the equipment manufacturer to be used.

3 Definition

separable flanges: Non-integral loose flanges held to the vessel/valve by mechanical means such as retaining rings or swaged rims.

4 Bibliography

The following bibliography is included for the definition of pressure classes, flange dimensions, material identification, and cross reference information. Items 4.1, 4.2, and 4.3 are published by ASME (American Society of Mechanical Engineers).

- **4.1** American National Standards Institute, Inc. (ANSI) Standard B16.5-1988, "Pipe Flanges and Flanged Fittings."
- **4.2** American National Standards Institute, Inc. (ANSI) Standard B16.10-1986, "Face-to-Face and End-to-End Dimensions of Ferrous Valves."
- **4.3** American National Standards Institute, Inc. (ANSI) Standard B16.34-1988, "Valves-Flanged, Threaded, and Welding End."
- **4.4** ISA, ANSI/ISA-S75.03-1985, "Face-to-Face Dimensions for Flanged Globe Style Control Valve Bodies."

ANSI/ISA-S75.20-1991 9


5 Dimensional data

For face-to-face dimensions for separable flange globe-style control valves, see Table 1.

Table 1 — Face-to-face dimensions

Nominal valve size			150, 300, 600 sion A	Tolerance	
mm	inches	mm	inches	mm	inches
25	1	216	8.50	±1.6	±0.062
40	1 1/2	241	9.50	±1.6	±0.062
50	2	292	11.50	±1.6	±0.062
80	3	356	14.00	±1.6	±0.062
100	4	432	17.00	±1.6	±0.062

NOTE: This standard does not preclude the user from purchasing separable flange control valves with face-to-face dimensions different from those given in ANSI/ISA-S75.03 or ASME/ANSI B16.10.



Developing and promulgating technically sound consensus standards, recommended practices, and technical reports is one of ISA's primary goals. To achieve this goal the Standards and Practices Department relies on the technical expertise and efforts of volunteer committee members, chairmen, and reviewers.

ISA is an American National Standards Institute (ANSI) accredited organization. ISA administers United States Technical Advisory Groups (USTAGs) and provides secretariat support for International Electrotechnical Commission (IEC) and International Organization for Standardization (ISO) committees that develop process measurement and control standards. To obtain additional information on the Society's standards program, please write:

ISA Attn: Standards Department 67 Alexander Drive P.O. Box 12277 Research Triangle Park, NC 27709

ISBN: 1-55617-313-X